

Huawei Switch Optical Port Configuration Mode



Overview

To enable a port on a Huawei switch, start by accessing the device's command-line interface (CLI) via a console cable or SSH. Use the system-view command to enter configuration mode, then navigate to the target port using interface GigabitEthernet 0/0/1 (replace with your). This document describes all the configuration commands of the device, including the command function, syntax, parameters, views, default level, usage guidelines, examples, and related commands. Whether you're setting up a new network segment or troubleshooting connectivity issues, understanding how to enable ports properly ensures seamless data flow while maintaining security. This document discusses how to configure an Eth-Trunk in manual load balancing mode, how to configure an Eth-Trunk in LACP mode, and how to locate an Eth-Trunk fault. Issue 01 (2019-06-28) Copyright © Huawei Technologies Co. Run the display eth-trunk command to check the working mode of an. Saving Configuration: Save changes to make the configuration permanent: Checking Settings: Use commands like display user-interface console 0 to verify correct configuration. Exiting the Device: Log out of the device after completing the configuration. For the test, I will execute commands on the Huawei Quidway S2326TP-EI.

Article Content

Sep 15, 2025

Basic Huawei Router Configuration | Huawei NE 40 ...

Here, we will focus on Basic Huawei Router Configuration with eNSP. We will configure Huawei NE 40 routers with basic huawei commands.

Feb 07, 2026

Basic Huawei Router Configuration | Huawei NE 40 Configuration! ★

Here, we will focus on Basic Huawei Router Configuration with eNSP. We will configure Huawei NE 40 routers with basic huawei commands.

Sep 16, 2025

Configuring ports on Huawei switches

I will give an example of setting up ports on Huawei switches. For the test, I will execute commands on the Huawei Quidway S2326TP-EI. Loading...

Apr 18, 2026

Huawei Switch Configuration Guide | PDF | Internet ...

The document provides configuration instructions and commands for basic switch configuration using Huawei switches. It covers topics such as changing the ...

Apr 01, 2026

Ethernet Interface Configuration Commands

This document describes all the configuration commands of the device, including the command function, syntax, parameters, views, default level, usage guidelines, examples, and related commands.

May 10, 2026

Huawei S5700 Series Configuring And Troubleshooting

This document discusses how to configure an Eth-Trunk in manual load balancing mode, how to configure an Eth-Trunk in LACP mode, and how to locate an Eth-Trunk fault.

May 06, 2026

Basic CLI Commands on Huawei Switch

This text is a guide detailing Basic Command Line Interface (CLI) Commands on Huawei brand switches. It provides step-by-step instructions for users to perform fundamental network configuration ...

Aug 17, 2025

How to Enable Ports in Huawei Switch? Could Open Ports Unlock ...

To enable a port on a Huawei switch, start by accessing the device's command-line interface (CLI) via a console cable or SSH. Use the system-view command to enter configuration ...

Sep 19, 2025

How To Switch Optical-Electrical Mode On Huawei Router Combo ...

Execute the command “combo enable fiber” in interface mode to switch to the optical interface; on the contrary, “undo combo enable fiber” switches to the default electrical interface state.

Dec 18, 2025

Optical Module Solutions for Huawei S5700/S5720 Series Switches

This article summarizes several solutions for using optical modules with switches and common problems encountered during usage, along with specific solutions.

Aug 22, 2025

Huawei switch configuration and: detailed ...

Today we will learn about the configuration of Huawei switches and the three link modes of Ethernet. In order to make it clearer, every line of code has an explanation.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.chromadecksigns-eastrand.co.za>

Email: sales@chromadecksigns-eastrand.co.za

Phone: +32 2 318 5792

Address: Avenue Louise 500, 1050 Brussels, Belgium

This document is for informational purposes only. Specifications subject to change without notice.

