

Price of Network Cabinet Mounting Hole Spacing



Article Overview

Standard network cabinets use a 19-inch rack width with vertical mounting holes spaced according to the ANSI/EIA-310-D standard, with 1.75-inch increments per rack unit (RU).

Standard Dimensions

- **Rack Width:** Most network cabinets follow the 19-inch rack-mount standard, meaning the distance between the mounting rails is 19 inches (48.26 cm) to accommodate standard IT equipment .
- **Vertical Spacing:** The vertical mounting holes are arranged in rack units (RU), where 1 RU = 1.75 inches (4.45 cm). Equipment is mounted using these increments, allowing consistent alignment across different cabinets .
- **Hole Pattern:** ANSI/EIA-310-D specifies the English (EIA) universal hole spacing, which is a repeating pattern of three holes per 1.75-inch RU: the first hole at 0.5 inches, the second at 0.625 inches, and the third at 0.625 inches, totaling 1.75 inches per RU .

Additional Cabinet Considerations

- **Depth:** The distance between the front and rear mounting rails typically ranges from 23.5 to 34 inches (59.7–86.4 cm) to allow for rear bracket installation and proper cable management .
- **Front Offset:** To maintain proper fiber optic bend radius and cable management, t...

Article Content

Sep 13, 2025

Network Racks and Cabinets

Depending on the features of the cabinet you select, there can be perforated front and rear doors that allow for additional airflow.

Jul 27, 2025

General requirements for cabinets and racks

Standard 19-in. four-post EIA cabinet or rack, with mounting posts that conform to English universal hole spacing per section 1 of

Dec 11, 2025

9020rax.mif

The cabinet or rack must be one of the following rack types: Standard 19" four-post EIA cabinet or rack, with mounting rails that

May 27, 2026

Rack Rail Hole Spacing Explained

Clear guide to rack rail hole spacing and the EIA-310 standard. Learn the 1.75-inch rack unit pattern, why the three-hole groups

Nov 28, 2025

Server Rack Sizes: Understanding the Differences

Server Rack Height Illustration of rack unit spacing Server rack height is one of the more popular ways to classify a

Mar 05, 2026

General Requirements for Cabinets and Racks

The distance between the rear of the chassis and the perforated rear door of the cabinet (required for airflow in the cabinet, if used)

Dec 04, 2025

Server Racks

Server racks and cabinets help you get the most out of your server room storage by offering a variety of

Sep 08, 2025

Understanding Rack Unit “U” or “RU”

The hole spacing for standard 19” racks on the mounting flange is spaced in groups of three holes. This three-hole group is defined

Dec 14, 2025

Network cabinet design considerations

While the hole pattern is the same on the 19-inch rails, the type of hole will vary depending upon the manufacturer. A square-hole

Feb 20, 2026

Rack Mount Positions and Hole Types

Rack Mount Positions and Hole Types Before installing system components, locate the hole

Aug 28, 2025

Racks & Cabinets | Cable Monkey

The cabinets are available in various sizes and are supplied fully assembled. Each cabinet comprises a welded steel frame and

Mar 11, 2026

Server Rack Spacing: Best Practices | Sysracks

Server rack space requirements Server furniture profile. Should you leave space between servers in a rack? How to connect 2 server

Sep 09, 2025

General Requirements for Cabinets and Racks

See Requirements Specific to Perforated Cabinets and Requirements Specific to Solid-Walled Cabinets. Standard two-post telco

May 18, 2026

Server Rack Sizes & Dimensions Explained: The Ultimate Guide to

It defines the 19-inch rack width, mounting hole spacing, and dimensional tolerances used by nearly every major server

Feb 17, 2026

How Much Does a Network Cabinet Cost in 2025? Complete Price

Learn the 2025 price range, load capacity, sizes, and material options for network cabinets. Compare 42U, 45U, 19-inch racks, and

Feb 12, 2026

Rack Specifications

Standard 19-inch (48.3 cm) (two- or four-post EIA cabinet or rack, with mounting rails that conform to English universal hole spacing

Apr 30, 2026

9020rax.mif

There should be a minimum of 2.5 inches (6.4 cm) clear space between the side edge of the chassis and the side wall of the cabinet.

Oct 16, 2025

Server Racks & Cabinets

Optimize your equipment housing with racks and cabinets offerings. Explore a range of solutions designed to provide secure and

Aug 03, 2025

Rack Enclosure Basics: Your Essential Guide

A 19-inch rack is the standard enclosure or frame size for mounting electronic equipment, and it gets its name from the width of the

Feb 08, 2026

Cabinet and Rack Installation

There should be a minimum of 2.5 in. (6.4 cm) of clear space between the side edge of the chassis and the side wall of the cabinet.

Mar 17, 2026

Network Cabinets for Secure IT Equipment Enclosures

Explore network cabinets for secure, organized housing of switches, servers, and IT equipment in

Nov 17, 2025

Network Cabinets: Five Tips for Selecting a Cabinet Rack

We are often asked for assistance to help select a 19" Network Cabinet Rack. Before we get to the tips, let's just

May 26, 2026

Rack specifications

The customer is responsible for ensuring that the PDU is compatible with the rack or cabinet and assumes responsibility for any and

Oct 22, 2025

Standard server rack Dimension and accessories Dimension

Type of Equipment/Server Rack Holes Rack Mounting Hole Vertical Spacing Rack Mounting Hole Horizontal Spacing

Sep 10, 2025

What are EIA Standards? And Where Do They Come From?

Whole spacing alternates at 1/2" - 5/8" - 5/8" and then repeats. "U" space starts and stops in the middle of the 1/2"

May 16, 2026

Cabinet and Rack Installation

General Requirements for Cabinets and Racks The cabinet or rack must be one of the following rack types: Standard 19-in. four-post

Sep 13, 2025

Server Racks and Cabinets

Shop quality server racks, cabinets, and accessories for IT setups. Durable designs for seamless organization.

Dec 15, 2025

19-inch rack

19-inch rack Portable 19-inch racks filled with audio processing outboard gear are a common sight at concerts with amplified sound.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.chromadecksigns-eastrand.co.za>

Email: sales@chromadecksigns-eastrand.co.za

Phone: +32 2 318 5792

Address: Avenue Louise 500, 1050 Brussels, Belgium

This document is for informational purposes only. Specifications subject to change without notice.

